Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4707	(coil spring) with clamp with (adjust adjustable vary varying variable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:14
L2	3	(coil spring) with clamp with (adjust adjustable vary varying variable) with detachably adj mount\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:15
L3	1423	(coil spring) with clamp with (adjust adjustable vary varying variable) with position\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:15
L4	3	3 and "600".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:17
L5		bedrail adj clamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:17
L6	487	bed adj clamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:18
L7	56	"600".clas. and bed with clamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:18

L8	11	"600".clas. and bed with clamp with spring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:19
L9	11	("600".clas. 5.clas.) and bed with clamp with spring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:19
L10	0	(5.clas.) and clamp with spring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:19
L11	0	5.clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:20
L12	70859	5/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:20
L13	556	12 and clamp with spring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:20
L14	63	12 and clamp with spring same (bedrail (bed near3 rail))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:24

L15	1512	(spring near clamp).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:25
L16	12	15 and (bed (bed adj (rail railing)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:28
L17	0	15 and (bed adj (rail railing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:26
L18	1	15 and (bed near (rail railing))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:26
L19	4169	handle with spring with clamp	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:28
L20	22	handle with spring with clamp with bed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:28
S1		US-5477858-\$.DID. OR US-5715823-\$.DID. OR US-6135958-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:32

52	9733	600/437-461.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:33
S3	6924	S2 and (screen display monitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:34
S4	572	S2 and wireless\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:51
S5	539	S4 and (screen display monitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:52
S6	42	S5 and (control\$4 adjust\$3 change) same (focus and gain and depth and mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 14:52
S7	498	S2 and wireless\$2 and (RF (radio frequency frequencies))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 16:09
S8	471	S7 and (screen display monitor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 15:23

S9	42	S8 and (control\$4 adjust\$3 change) same (focus and gain and depth and mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 16:07
S10		S2 and wireless\$2 with remote with control same (RF (radio frequency frequencies))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 15:19
S11	10	S2 and wireless\$2 same remote with control same (RF (radio frequency frequencies))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 15:19
S12	76	S8 and remote with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 15:23
S13		S8 and (control\$4 adjust\$3 change) same (focus same gain same depth same mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:25
S14	5	S2 and wireless\$2 and (control\$4 adjust\$3 change) same (focus same gain same depth same mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/15 16:09
S15	1	("6530887").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/15 16:10
S16	1	("5904652").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/15 16:30
S17	3	S2 and detachably with (mount attach) with (transducer remote control controller probe)	US-PGPUB; USPAT	OR	ON	2007/10/15 16:32

S18	57	S2 and detachably with (mount\$3 attach\$3) with (transducer remote control controller probe)	US-PGPUB; USPAT	OR	ON	2007/10/15 16:37
S19	17	S18 and clamp\$3	US-PGPUB; USPAT	OR	ON	2007/10/15 16:36
S20		S2 and detachably with (mount\$3 attach\$3) with (transducer remote control controller probe) same clamp\$3	US-PGPUB; USPAT	OR	ON	2007/10/15 16:33
S21	2	S18 and clamp\$3 and spring and handle	US-PGPUB; USPAT	OR	ON	2007/10/15 16:36
S22	10	S18 and clamp\$3 and handle	US-PGPUB; USPAT	OR	ON	2007/10/15 16:38
S23	69	S2 and (uncouple (detachably with (mount\$3 attach\$3)) with (transducer remote control controller probe))	US-PGPUB; USPAT	OR	ON	2007/10/15 16:44
S24	13	S23 and clamp\$3 and handle	US-PGPUB; USPAT	OR	ON	2007/10/15 16:39
S25	2	S23 and clamp\$3 with pair	US-PGPUB; USPAT	OR	ON	2007/10/15 16:39
S26	12	S2 and (uncouple (detachably with (mount\$3 attach\$3)) same clamp\$3 with pair same spring)	US-PGPUB; USPAT	OR	ON	2007/10/15 16:42
S27	0	S2 and (uncouple (detachably with (mount\$3 attach\$3))) same clamp\$3 with pair same spring	US-PGPUB; USPAT	OR	ON	2007/10/15 16:42
S28	9	S2 and clamp\$3 with pair with spring	US-PGPUB; USPAT	OR	ON	2007/10/15 16:43
S29	4961	clamp\$3 with pair with spring	US-PGPUB; USPAT	OR	ON	2007/10/15 16:44
530	350	clamp\$3 with pair with spring with housing	US-PGPUB; USPAT	OR	ON	2007/10/15 16:44
S31	4	(uncouple (detachably with (mount\$3 attach\$3)) with (transducer remote control controller probe)) and clamp\$3 with pair with spring with housing	US-PGPUB; USPAT	OR	ON	2007/10/15 16:45
S32	76947	(detachably removably) with housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:26

S33	37550	(detachably removably) with (mount\$3 attach\$3) with housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:29
S34	2469	(controller control remote) with (detachably removably) with (mount\$3 attach\$3) with housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:27
S35	156	(controller control remote) with (detachably removably) with (mount\$3 attach\$3) with housing same clamp\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:27
S36	27	(controller control remote) with (detachably removably) with (mount\$3 attach\$3) with housing same (clamp\$3 with pair)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:27
S37	56	(controller control remote) with (detachably removably) with (mount\$3 attach\$3) with housing same (clamp\$3 with (two "2" pair))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 07:28
S38		(detachably removably) with (mount\$3 attach\$3) with bedrail	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/16 13:13